



U.S. ENVIRONMENTAL PROTECTION AGENCY  
 Office of Pesticide Programs  
 Registration Division (7505P)  
 1200 Pennsylvania Ave., N.W.  
 Washington, D.C. 20460

EPA Reg. Number:

91384-3

Date of Issuance:

9/26/16

NOTICE OF PESTICIDE:

Registration  
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional, Time-Limited  
 Expires: 09/26/2018

Name of Pesticide Product:

T2.200 FOR DOGS

Name and Address of Registrant (include ZIP Code):

Richard L. Conn  
 President, Agent for CAP IM Supply, Inc.  
 Conn and Smith Inc.  
 6713 Catskill Road  
 Lorton, VA 22079-1113

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/reregistration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:

Laura Bacon, Product Manager 4  
 Invertebrate and Vertebrate Branch 1,  
 Registration Division (7505P)

Date:

9/26/16

Office of Pesticide Programs	
------------------------------	--

EPA Form 8570-6

2. This registration is time-limited and expires 09/26/2018.
  
3. You must submit quarterly enhanced incident reports and quarterly sales information in doses sold for this product beginning within 3 months of the date the product is first released for shipment, on the first day of the quarter (i.e., January 1, April 1, July 1, or October 1). Please flag any Confidential Business Information as such. Submit enhanced incident reporting and quarterly sales information to the Product Manager's attention. The following is a list of information that must be included in the quarterly reports for each incident:
  - EPA Registration Number
  - Product name (brand name)
  - Lot #
  - Where purchased: internet, store, veterinarian
  - Active Ingredient(s)
  - Weight range for product
  - Date on which incident occurred (mm/dd/yyyy)
  - State in which the incident occurred (standard 2 letter abbreviation)
  - Registrant case #
  - Species: dog, cat, other (specify)
  - Breed: (as reported by pet owner)
  - Age: months or years
  - Sex: M, F, or neutered
  - Weight: pounds
  - Primary Route of Exposure: dermal, oral, other animal, inhalation, other
  - Body System: neurological, dermatological, GI, respiratory, ocular, other
  - Major signs noted with separate column for each sign, using standard terminology
  - Time to Onset: (hours, days)
  - Treated by veterinarian: yes or no
  - First time product used: yes or no
  - Misuse: use on incorrect species, overdose, too frequent dosing, other (describe)
  - Any known precondition
  - EPA Severity Code: death, major, moderate, minor
  - Outcome: died, recovered, still treated, unknown
  
4. Along with the enhanced incident reporting, you must submit an analysis of the incidents seen, to include the following details:
  - All incidents should be reported including all minor dermal and ocular irritation reports.
  - Summary table for dogs showing number of incidents of each severity code for each route of exposure. Each incident should only be reported once. If one incident has several routes of exposure, the order should be ocular > oral > dermal. In other words, an

- incident with both oral and dermal exposure would be reported as oral exposure, and an incident with both ocular and oral exposure would be reported as ocular exposure.
- A similar summary table for cats (misuse or secondary exposure) showing number of incidents of each severity code for each route of exposure.
  - Summary table for cats and table for dogs showing number of incidents that are believed due to secondary exposure (e.g., multi-pet households).
  - A summary table for dogs showing number of incidents for each severity code for these age ranges: <3 months, 3-6 months, 6-9 months, 9-12 months, 1 yr, 2 yr, 3 yr, 4 yr, 5 yr, 6 yr, 7 yr, 8 yr, 9 yr, 10 yr, 11 yr, 12 yr, 13 yr, 14 yr, 15 yr, >15 yr.
  - A summary table showing the number of dog incidents for each severity code for each pet weight range on the product label, as applicable.
  - A summary table for dog weight showing number of incidents for each product weight range. This table should show number of incidents in dogs weighing less than that product weight range, number of incidents in dogs in lower half of weight range, number of incidents in dogs in upper half of weight range, and dogs weighing more than the product weight range, as applicable.
  - Table showing number of incidents for each dog breed, where provided.
  - Table showing number of incidents in dogs for each clinical sign.
  - Table showing number of incidents in dogs for each organ system.
  - Report aggregate incidents, but do not combine moderate and minor incidents.

If EPA determines that future mitigation measures are necessary for all pet spot-ons, the Agency will inform registrants. If mitigation measures are necessary, EPA may take regulatory action.

5. You are required to comply with the data requirements described in the DCI and EDSP Orders identified below:
  - a. Permethrin GDCI-109701-1252
  - b. Permethrin GDCI-109701-1281
  - c. Permethrin GDCI-109701-1113
  - d. Pyriproxyfen GDCI-129032-1299
  - e. Imidacloprid GDCI-129099-1516
  - f. Imidacloprid GDCI-129099-951
  - g. Permethrin EDSP-109701
  - h. Pyriproxyfen EDSP-129032
  - i. Imidacloprid EDSP-129099

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI and EDSP Orders listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division:

<http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1>

6. Make the following label changes before you release the product for shipment:

- Revise the EPA Registration Number to read, “EPA Reg. No. 91384-3.”

7. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 12/23/2015

If you have any questions, you may contact Elizabeth Fertich at 703-347-8560 or via email at [fertich.elizabeth@epa.gov](mailto:fertich.elizabeth@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "L. N. Bacon". The signature is fluid and cursive, with a large initial "L" and a distinct "B" at the end.

Laura N. Bacon, Acting Product Manager 4  
Invertebrate & Vertebrate Branch 1 (IVB1)  
Registration Division (7505P)  
Office of Pesticide Programs

NOTE TO REVIEWER: [(Optional text appears in brackets and parenthesis - the final label may include some or all of the optional text on front, back, side, or inside label panels. Optional marketing claims: see lists at the end of the label)]

**Label Directions and Container (Carton, Overwrap of 2 x 3-Count, 2 x 4-Count, 2 x 6-Count, and 3 x 4-Count Cartons), Package Insert, Blister, and Reminder Stickers for**

**3 x 0.014 FL. OZ. PACKAGE**

**3 x 0.034 FL. OZ. PACKAGE**

**3 x 0.084 FL. OZ. PACKAGE**

**3 x 0.135 FL. OZ. PACKAGE**

**4 x 0.014 FL. OZ. PACKAGE**

**4 x 0.034 FL. OZ. PACKAGE**

**4 x 0.084 FL. OZ. PACKAGE**

**4 x 0.135 FL. OZ. PACKAGE**

**6 x 0.014 FL. OZ. PACKAGE**

**6 x 0.034 FL. OZ. PACKAGE**

**6 x 0.084 FL. OZ. PACKAGE**

**6 x 0.135 FL. OZ. PACKAGE**

**8 x 0.014 FL. OZ. PACKAGE**

**8 x 0.034 FL. OZ. PACKAGE**

**8 x 0.084 FL. OZ. PACKAGE**

**8 x 0.135 FL. OZ. PACKAGE**

**(FRONT PANEL OF 2 x 3-COUNT, 2 X 4-COUNT, 2 X 6-COUNT, AND 3 X 4-COUNT OVERWRAP)**

**T2.200 for Dogs**

**Alternate Brand Names**

**[ADV Advecta for Dogs]**

**[ADV Advecta 2 for Dogs]**

**[ADV Advecta II for Dog**

**[ADV Advecta 3 for Dogs]**

**[ADV Advecta III for Dog**

**[ADV PetAction for Dogs]**

**[ADV PetAction 2 for Dogs]**

**[ADV PetAction II for Dogs]**

**[ADV PetAction 3 for Dogs]**

**[ADV PetAction III for Dogs]**

**[ADV PetLock for Dogs]**

**[ADV PetLock 2 for Dogs]**

**[ADV PetLock II for Dogs]**

**[ADV PetLock 3 for Dogs]**

**[ADV PetLock III for Dogs]**

**[Advecta 3 for Dogs]**

**[Advecta K9]**

**[K9 Advecta (Advanced)]**

**[Advecta III for Dogs]**

**[Advecta ADV for Dogs]**


**[Advecta ADV 2 for Dogs]**

**[Advecta ADV II for Dogs]**

**[Advecta ADV 3 for Dogs]**

**[Advecta ADV III for Dogs]**

**[Advecta Complete for Dogs]**



[Advecta Max for Dogs]  
[Advecta Ticks for Dogs]  
[Advecta Tix for Dogs]  
[K9 Advecta Tix]  
[Advecta Tix K9]  
[Canine Advecta Tix]  
[Advecta Tix Canine]  
[Advecta Total for Dogs]  
[K9 Advecta Total]  
[Canine Advecta Total]  
[Advecta Total K9]  
[Advecta Total Canine]  
[Advectix for Dogs]  
[Advectix K9]  
[K9 Advectix]  
[Advectix Canine]  
[Canine Advectix]  
[Advectix 2 for Dogs]  
[K9 Advectix 2]  
[Advectix K9]  
[Canine Advectix 2]  
[Advectix Canine 2]  
[Advectix II for Dogs]  
[K9 Advectix II]  
[Advectix II K9]  
[Canine Advectix II]  
[Advectix II Canine]  
[Advectix 3 for Dogs]  
[K9 Advectix 3]  
[Advectix 3 K9]  
[Canine Advectix 3]  
[Advectix 3 Canine]  
[Advectix III for Dogs]  
[K9 Advectix III]  
[Advectix III K9]  
[Canine Advectix III]  
[Advectix III Canine]  
[Para | Defense 3 for Dogs]  
[K9 Para | Defense 3]  
[Canine Para | Defense 3]  
[Para | Defense K9 3]  
[Para | Defense Canine 3]  
[Para | Defense Advanced for Dogs]  
[K9 Para | Defense Advanced]  
[Canine Para | Defense Advanced]  
[Para | Defense K9 Advanced]  
[Para | Defense Canine Advanced]  
[Para | Defense Complete for Dogs]  
[K9 Para | Defense Complete]  
[Canine Para | Defense Complete]  
[Para | Defense K9 Complete]  
[Para | Defense Canine Complete]  
[Para | Defense Extra for Dogs]  
[K9 Para | Defense Extra]  
[Canine Para | Defense Extra]  
[Para | Defense Extra K9]  
[Para | Defense Extra Canine]

[Para | Defense Flea & Tick for Dogs]  
[K9 Para | Defense Flea & Tick]  
[Canine Para | Defense Flea & Tick]  
[Para | Defense Flea & Tick K9]  
[Para | Defense Flea & Tick Canine]  
[Para | Defense III for Dogs]  
[K9 Para | Defense III]  
[Canine Para | Defense III]  
[Para | Defense III K9]  
[Para | Defense Canine III]  
[Para | Defense Max for Dogs]  
[K9 Para | Defense Max]  
[Canine Para | Defense Max]  
[Para | Defense Max K9]  
[Para | Defense Canine Max]  
[Para | Defense Plus Tick Control for Dogs]  
[K9 Para | Defense Plus Tick Control]  
[Para | Defense Pro for Dogs]  
[K9 Para | Defense Pro]  
[Canine Para | Defense Pro]  
[Para | Defense Pro K9]  
[Para | Defense Canine Pro]  
[Para | Defense Multi-Vector]  
[K9 Para | Defense Multi-Vector]  
[Canine Para | Defense Multi-Vector]  
[Para | Defense Multi-Vector K9]  
[Para | Defense Canine Multi-Vector]  
[Para | Defense Plus Ticks for Dogs]  
[K9 Para | Defense Plus]  
[Canine Para | Defense Plus]  
[Para | Defense Plus K9]  
[Para | Defense Plus Canine]  
[Para | Defense Tix for Dogs]  
[K9 Para | Defense Tix]  
[Canine Para | Defense Tix]  
[Para | Defense Tix K9]  
[Para | Defense Canine Tix]  
[PetAction 3 for Dogs]  
[PetAction 3 K9]  
[PetAction 3 Canine]  
[K9 PetAction 3]  
[Canine PetAction 3]  
[PetAction III for Dogs]  
[PetAction III K9]  
[PetAction III Canine]  
[K9 PetAction III]  
[Canine PetAction III]  
[PetAction K9 (Advanced)]  
[K9 PetAction (Advanced)]  
[PetAction ADV for Dogs]  
[PetAction ADV K9]  
[PetAction ADV Canine]  
[K9 PetAction ADV]  
[Canine PetAction ADV]  
[PetAction ADV 2 for Dogs]  
[K9 PetAction ADV]  
[Canine PetAction ADV]

[PetAction ADV II for Dogs]  
[K9 PetAction ADV II]  
[Canine PetAction ADV II]  
[PetAction ADV 3 for Dogs]  
[K9 PetAction ADV 3]  
[Canine PetAction ADV 3]  
[PetAction ADV III for Dogs]  
[K9 PetAction ADV III]  
[Canine PetAction ADV III]  
[PetAction Complete for Dogs]  
[K9 PetAction Complete]  
[Canine PetAction Complete]  
[PetAction Max for Dogs]  
[K9 PetAction Max]  
[Canine PetAction Max]  
[PetAction Ticks for Dogs]  
[K9 PetAction Ticks]  
[Canine PetAction Ticks]  
[PetAction Tix for Dogs]  
[K9 PetAction Tix]  
[Canine PetAction Tix]  
[PetAction Total for Dogs]  
[K9 PetAction Total]  
[Canine PetAction Total]  
[PetLock 3 for Dogs]  
[K9 PetLock 3]  
[Canine PetLock 3]  
[PetLock 3 K9]  
[PetLock 3 Canine]  
[PetLock K9]  
[K9 PetLock]  
[PetLock III for Dogs]  
[K9 PetLock III]  
[Canine PetLock III]  
[PetLock III K9]  
[PetLock III Canine]  
[PetLock ADV for Dogs]  
[K9 PetLock DV]  
[Canine PetLock ADV]  
[PetLock ADV K9]  
[PetLock ADV Canine]  
[PetLock ADV 2 for Dogs]  
[K9 PetLock ADV 2]  
[PetLock ADV 2 Canine]  
[PetLock ADV II for Dogs]  
[K9 PetLock ADV II]  
[PetLock ADV II Canine]  
[PetLock ADV 3 for Dogs]  
[K9 PetLock ADV 3]  
[PetLock ADV III for Dogs]  
[K9 PetLock ADV III]  
[PetLock ADV III Canine]  
[PetLock Complete for Dogs]  
[PetLock Max for Dogs]  
[PetLock Ticks for Dogs]  
[K9 PetLock Ticks]  
[Canine PetLock Ticks]

**[PetLock Tix for Dogs]**  
**[PetLock tix K9]**  
**[PetLock Tix Canine]**  
**[PetLock Total for Dogs]**  
**[K9 PetLock Total]**  
**[Canine PetLock Total]**  
**[PetLock Total K9]**  
**[PetLock Total Canine]**  
**[K9 Lock II]**

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies, and lice.

[For use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing 5-10 lbs.]

[For use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing 11-20 lbs.]

[For use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing 21-55 lbs.]

[For use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing over 55 lbs.]

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

<b>Active Ingredients</b>	<b>% By Weight</b>
Imidacloprid .....	8.80%
Permethrin* .....	44.00%
Pyriproxyfen .....	0.44%
<b>Other Ingredients</b> .....	<b>46.76%</b>
<b>Total</b> .....	<b>100.00%</b>

\*cis/trans ratio: Max 55(±) cis and min 45%(±) trans

See back panel for Precautionary Statements

See package insert for Directions for Use, Storage and Disposal, and First Aid information.

**DO NOT USE ON CATS**

**(THE CATS ICON WILL BE YELLOW OR CONTRASTING COLOR TO PACKAGING)**



**Net Contents:**

[2 cartons of [0.042 fl. oz.][0.056 fl. oz.][0.084 fl. oz.] ([3,4,6] applicators each containing 0.014 fl. oz (0.4 mL), [3,4,6] doses per carton, [6,8,12] doses total)]

[2 cartons of [0.102 fl. oz.][0.136 fl. oz.][0.204 fl. oz.] ([3,4,6] applicators each containing 0.034 fl. oz (1.0 mL), [3,4,6] doses per carton, [6,8,12] doses total)]

[2 cartons of [0.255 fl. oz.][0.34 fl. oz.][0.51 fl. oz.] ([3,4,6] applicators each containing 0.084 fl. oz (2.5 mL), [3,4,6] doses per carton, [6,8,12] doses total)]

[2 cartons of [0.405 fl. oz.][0.54 fl. oz.][0.81 fl. oz.] ([3,4,6] applicators each containing 0.135 fl. oz (4.0 mL), [3,4,6] doses per carton, [6,8,12] doses total)]

[3 cartons of [0.056 fl. oz.] (4 applicators each containing 0.014 fl. oz (0.4 mL), 4 doses per carton, 12 doses total)]

[3 cartons of [0.136 fl. oz.] (4 applicators each containing 0.034 fl. oz (1.0 mL)), 4 doses per carton, 12 doses total)]

[3 cartons of [0.34 fl. oz.] (4 applicators each containing 0.084 fl. oz (2.5 mL)), 4 doses per carton, 12 doses total)]

[3 cartons of [0.54 fl. oz.] (4 applicators each containing 0.135 fl. oz (4.0 mL)), 4 doses per carton, 12 doses total)]

(FRONT PANEL OF CARTON)

T2.200 for Dogs

Alternate Brand Names

[ADV Advecta for Dogs]  
[ADV Advecta 2 for Dogs]  
[ADV Advecta II for Dog]  
[ADV Advecta 3 for Dogs]  
[ADV Advecta III for Dog]  
[ADV PetAction for Dogs]  
[ADV PetAction 2 for Dogs]  
[ADV PetAction II for Dogs]  
[ADV PetAction 3 for Dogs]  
[ADV PetAction III for Dogs]  
[ADV PetLock for Dogs]  
[ADV PetLock 2 for Dogs]  
[ADV PetLock II for Dogs]  
[ADV PetLock 3 for Dogs]  
[ADV PetLock III for Dogs]  
[Advecta 3 for Dogs]  
[Advecta K9]  
[K9 Advecta (Advanced)]  
[Advecta III for Dogs]  
[Advecta ADV for Dogs]  
[Advecta ADV 2 for Dogs]  
[Advecta ADV II for Dogs]  
[Advecta ADV 3 for Dogs]  
[Advecta ADV III for Dogs]  
[Advecta Complete for Dogs]  
[Advecta Max for Dogs]  
[Advecta Ticks for Dogs]  
[Advecta Tix for Dogs]  
[K9 Advecta Tix]  
[Advecta Tix K9]  
[Canine Advecta Tix]  
[Advecta Tix Canine]  
[Advecta Total for Dogs]  
[K9 Advecta Total]  
[Canine Advecta Total]  
[Advecta Total K9]  
[Advecta Total Canine]  
[Advectix for Dogs]  
[Advectix K9]  
[K9 Advectix]  
[Advectix Canine]  
[Canine Advectix]  
[Advectix 2 for Dogs]  
[K9 Advectix 2]  
[Advectix K9]  
[Canine Advectix 2]  
[Advectix Canine 2]  
[Advectix II for Dogs]  
[K9 Advectix II]  
[Advectix II K9]  
[Canine Advectix II]

[Advectix II Canine]  
[Advectix 3 for Dogs]  
[K9 Advectix 3]  
[Advectix 3 K9]  
[Canine Advectix 3]  
[Advectix 3 Canine]  
[Advectix III for Dogs]  
[K9 Advectix III]  
[Advectix III K9]  
[Canine Advectix III]  
[Advectix III Canine]  
[Para | Defense 3 for Dogs]  
[K9 Para | Defense 3]  
[Canine Para | Defense 3]  
[Para | Defense K9 3]  
[Para | Defense Canine 3]  
[Para | Defense Advanced for Dogs]  
[K9 Para | Defense Advanced]  
[Canine Para | Defense Advanced]  
[Para | Defense K9 Advanced]  
[Para | Defense Canine Advanced]  
[Para | Defense Complete for Dogs]  
[K9 Para | Defense Complete]  
[Canine Para | Defense Complete]  
[Para | Defense K9 Complete]  
[Para | Defense Canine Complete]  
[Para | Defense Extra for Dogs]  
[K9 Para | Defense Extra]  
[Canine Para | Defense Extra]  
[Para | Defense Extra K9]  
[Para | Defense Extra Canine]  
[Para | Defense Flea & Tick for Dogs]  
[K9 Para | Defense Flea & Tick]  
[Canine Para | Defense Flea & Tick]  
[Para | Defense Flea & Tick K9]  
[Para | Defense Flea & Tick Canine]  
[Para | Defense III for Dogs]  
[K9 Para | Defense III]  
[Canine Para | Defense III]  
[Para | Defense III K9]  
[Para | Defense Canine III]  
[Para | Defense Max for Dogs]  
[K9 Para | Defense Max]  
[Canine Para | Defense Max]  
[Para | Defense Max K9]  
[Para | Defense Canine Max]  
[Para | Defense Plus Tick Control for Dogs]  
[Para | Defense Pro for Dogs]  
[K9 Para | Defense Pro]  
[Canine Para | Defense Pro]  
[Para | Defense Pro K9]  
[Para | Defense Canine Pro]  
[Para | Defense Multi-Vector]  
[K9 Para | Defense Multi-Vector]  
[Canine Para | Defense Multi-Vector]  
[Para | Defense Multi-Vector K9]  
[Para | Defense Canine Multi-Vector]

[Para | Defense Plus Ticks for Dogs]  
[K9 Para | Defense Plus]  
[Canine Para | Defense Plus]  
[Para | Defense Plus K9]  
[Para | Defense Plus Canine]  
[Para | Defense Tix for Dogs]  
[K9 Para | Defense Tix]  
[Canine Para | Defense Tix]  
[Para | Defense Tix K9]  
[Para | Defense Canine Tix]  
[PetAction 3 for Dogs]  
[PetAction 3 K9]  
[PetAction 3 Canine]  
[K9 PetAction 3]  
[Canine PetAction 3]  
[PetAction III for Dogs]  
[PetAction III K9]  
[PetAction III Canine]  
[K9 PetAction III]  
[Canine PetAction III]  
[PetAction K9 (Advanced)]  
[K9 PetAction (Advanced)]  
[PetAction ADV for Dogs]  
[PetAction ADV K9]  
[PetAction ADV Canine]  
[K9 PetAction ADV]  
[Canine PetAction ADV]  
[PetAction ADV 2 for Dogs]  
[K9 PetAction ADV]  
[Canine PetAction ADV]  
[PetAction ADV II for Dogs]  
[K9 PetAction ADV II]  
[Canine PetAction ADV II]  
[PetAction ADV 3 for Dogs]  
[K9 PetAction ADV 3]  
[Canine PetAction ADV 3]  
[PetAction ADV III for Dogs]  
[K9 PetAction ADV III]  
[Canine PetAction ADV III]  
[PetAction Complete for Dogs]  
[K9 PetAction Complete]  
[Canine PetAction Complete]  
[PetAction Max for Dogs]  
[K9 PetAction Max]  
[Canine PetAction Max]  
[PetAction Ticks for Dogs]  
[K9 PetAction Ticks]  
[Canine PetAction Ticks]  
[PetAction Tix for Dogs]  
[K9 PetAction Tix]  
[Canine PetAction Tix]  
[PetAction Total for Dogs]  
[K9 PetAction Total]  
[Canine PetAction Total]  
[PetLock 3 for Dogs]  
[K9 PetLock 3]  
[Canine PetLock 3]

[PetLock 3 K9]  
[PetLock 3 Canine]  
[PetLock K9]  
[K9 PetLock]  
[PetLock III for Dogs]  
[K9 PetLock III]  
[Canine PetLock III]  
[PetLock III K9]  
[PetLock III Canine]  
[PetLock ADV for Dogs]  
[K9 PetLock DV]  
[Canine PetLock ADV]  
[PetLock ADV K9]  
[PetLock ADV Canine]  
[PetLock ADV 2 for Dogs]  
[K9 PetLock ADV 2]  
[PetLock ADV 2 Canine]  
[PetLock ADV II for Dogs]  
[K9 PetLock ADV II]  
[PetLock ADV II Canine]  
[PetLock ADV 3 for Dogs]  
[K9 PetLock ADV 3]  
[PetLock ADV III for Dogs]  
[K9 PetLock ADV III]  
[PetLock ADV III Canine]  
[PetLock Complete for Dogs]  
[PetLock Max for Dogs]  
[PetLock Ticks for Dogs]  
[K9 PetLock Ticks]  
[Canine PetLock Ticks]  
[PetLock Tix for Dogs]  
[PetLock tix K9]  
[PetLock Tix Canine]  
[PetLock Total for Dogs]  
[K9 PetLock Total]  
[Canine PetLock Total]  
[PetLock Total K9]  
[PetLock Total Canine]  
[K9 Lock II]

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies, and lice.

[For use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing 5-10 lbs.]

[For use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing 11-20 lbs.]

[For use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing 21-55 lbs.]

[For use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing over 55 lbs.]

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

<b>Active Ingredients</b>	<b>% By Weight</b>
Imidacloprid .....	8.80%
Permethrin* .....	44.00%
Pyriproxyfen .....	0.44%
<b>Other Ingredients</b> .....	46.76%
<b>Total</b> .....	100.00%

\*cis/trans ratio: Max 55(±) cis and min 45%(±) trans

See back panel for Precautionary Statements

See package insert for Directions for Use, Storage and Disposal, and First Aid information.

**DO NOT USE ON CATS**

**(THE CATS ICON WILL BE YELLOW OR CONTRASTING COLOR TO PACKAGING)**



**Net Contents:**

[0.042 fl. oz.][0.056 fl. oz.][0.084 fl. oz.][0.112 fl. oz.] [3,4,6,8] applicators each containing 0.014 fl. oz (0.4 mL)

[0.102 fl. oz.][0.136 fl. oz.][0.204 fl. oz.][0.272 fl. oz.] [3,4,6,8] applicators each containing 0.034 fl. oz (1.0 mL)

[0.255 fl. oz.][0.34 fl. oz.][0.51 fl. oz.][0.68 fl. oz.] [3,4,6,8] applicators each containing 0.084 fl. oz (2.5 mL)

[0.405 fl. oz.][0.54 fl. oz.][0.81 fl. oz.][1.08 fl. oz.] [3,4,6,8] applicators each containing 0.135 fl. oz (4.0 mL)

(BACK PANEL OF CARTON AND OF OVERWRAP OF 2 X 3-COUNT, 2 X 4-COUNT, 2 X 6-COUNT, AND 3 X 4-COUNT CARTONS)

**T2.200 for Dogs**

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies, and lice.

[For use only on Dogs and Puppies 7 Weeks of age and Older and Weighing 5-10 lbs.]

[For use only on Dogs and Puppies 7 Weeks of age and Older and Weighing 11-20 lbs.]

[For use only on Dogs and Puppies 7 Weeks of age and Older and Weighing 21-55 lbs.]

[For use only on Dogs and Puppies 7 Weeks of age and Older and Weighing over 55 lbs.]

READ THE ENTIRE LABEL BEFORE EACH USE

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies, and lice on Dogs

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS**

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**HAZARDS TO DOMESTIC ANIMALS**

**For external use on dogs only.** Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age [or weighing less than 5 pounds]. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

**ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

**Side Effects:**

Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-xxx-xxx-xxxx.

**DO NOT USE ON CATS – MAY BE FATAL.** Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.



For consumer questions call 1-8XX-XXX-XXXX

For medical emergencies call 1-xxx-xxx-xxxx

CAP IM Supply, Inc.  
303 Perimeter Center North, Suite 300  
Atlanta, GA 30346

EPA Est. No. XXXXX-XX-X

EPA Reg No. 91384-XXX

[Sample – Not for (Re)Sale]

[Store Use Only]

**(SIDE PANELS OF CARTON AND OF OVERWRAP OF 2 X 3-COUNT, 2 X 4-COUNT, 2 X 6-COUNT, AND 3 X 4-COUNT CARTONS)**

[For use only on Dogs and Puppies 7 Weeks of age and Older and Weighing 5-10 lbs.]

[For use only on Dogs and Puppies 7 Weeks of age and Older and Weighing 11-20 lbs.]

[For use only on Dogs and Puppies 7 Weeks of age and Older and Weighing 21-55 lbs.]

[For use only on Dogs and Puppies 7 Weeks of age and Older and Weighing over 55 lbs.]

[T2.200 for Dogs]

[EPA Reg. No. 91384-xxx]

Lot/Batch Number

(PACKAGE INSERT LABELING)

T2.200 for Dogs

Alternate Brand Names

[ADV Advecta for Dogs]  
[ADV Advecta 2 for Dogs]  
[ADV Advecta II for Dog]  
[ADV Advecta 3 for Dogs]  
[ADV Advecta III for Dog]  
[ADV PetAction for Dogs]  
[ADV PetAction 2 for Dogs]  
[ADV PetAction II for Dogs]  
[ADV PetAction 3 for Dogs]  
[ADV PetAction III for Dogs]  
[ADV PetLock for Dogs]  
[ADV PetLock 2 for Dogs]  
[ADV PetLock II for Dogs]  
[ADV PetLock 3 for Dogs]  
[ADV PetLock III for Dogs]  
[Advecta 3 for Dogs]  
[Advecta K9]  
[K9 Advecta (Advanced)]  
[Advecta III for Dogs]  
[Advecta ADV for Dogs]  
[Advecta ADV 2 for Dogs]  
[Advecta ADV II for Dogs]  
[Advecta ADV 3 for Dogs]  
[Advecta ADV III for Dogs]  
[Advecta Complete for Dogs]  
[Advecta Max for Dogs]  
[Advecta Ticks for Dogs]  
[Advecta Tix for Dogs]  
[K9 Advecta Tix]  
[Advecta Tix K9]  
[Canine Advecta Tix]  
[Advecta Tix Canine]  
[Advecta Total for Dogs]  
[K9 Advecta Total]  
[Canine Advecta Total]  
[Advecta Total K9]  
[Advecta Total Canine]  
[Advectix for Dogs]  
[Advectix K9]  
[K9 Advectix]  
[Advectix Canine]  
[Canine Advectix]  
[Advectix 2 for Dogs]  
[K9 Advectix 2]  
[Advectix K9]  
[Canine Advectix 2]  
[Advectix Canine 2]  
[Advectix II for Dogs]  
[K9 Advectix II]  
[Advectix II K9]  
[Canine Advectix II]

[Advectix II Canine]  
[Advectix 3 for Dogs]  
[K9 Advectix 3]  
[Advectix 3 K9]  
[Canine Advectix 3]  
[Advectix 3 Canine]  
[Advectix III for Dogs]  
[K9 Advectix III]  
[Advectix III K9]  
[Canine Advectix III]  
[Advectix III Canine]  
[Para | Defense 3 for Dogs]  
[K9 Para | Defense 3]  
[Canine Para | Defense 3]  
[Para | Defense K9 3]  
[Para | Defense Canine 3]  
[Para | Defense Advanced for Dogs]  
[K9 Para | Defense Advanced]  
[Canine Para | Defense Advanced]  
[Para | Defense K9 Advanced]  
[Para | Defense Canine Advanced]  
[Para | Defense Complete for Dogs]  
[K9 Para | Defense Complete]  
[Canine Para | Defense Complete]  
[Para | Defense K9 Complete]  
[Para | Defense Canine Complete]  
[Para | Defense Extra for Dogs]  
[K9 Para | Defense Extra]  
[Canine Para | Defense Extra]  
[Para | Defense Extra K9]  
[Para | Defense Extra Canine]  
[Para | Defense Flea & Tick for Dogs]  
[K9 Para | Defense Flea & Tick]  
[Canine Para | Defense Flea & Tick]  
[Para | Defense Flea & Tick K9]  
[Para | Defense Flea & Tick Canine]  
[Para | Defense III for Dogs]  
[K9 Para | Defense III]  
[Canine Para | Defense III]  
[Para | Defense III K9]  
[Para | Defense Canine III]  
[Para | Defense Max for Dogs]  
[K9 Para | Defense Max]  
[Canine Para | Defense Max]  
[Para | Defense Max K9]  
[Para | Defense Canine Max]  
[Para | Defense Plus Tick Control for Dogs]  
[Para | Defense Pro for Dogs]  
[K9 Para | Defense Pro]  
[Canine Para | Defense Pro]  
[Para | Defense Pro K9]  
[Para | Defense Canine Pro]  
[Para | Defense Multi-Vector]  
[K9 Para | Defense Multi-Vector]  
[Canine Para | Defense Multi-Vector]  
[Para | Defense Multi-Vector K9]  
[Para | Defense Canine Multi-Vector]

[Para | Defense Plus Ticks for Dogs]  
[K9 Para | Defense Plus]  
[Canine Para | Defense Plus]  
[Para | Defense Plus K9]  
[Para | Defense Plus Canine]  
[Para | Defense Tix for Dogs]  
[K9 Para | Defense Tix]  
[Canine Para | Defense Tix]  
[Para | Defense Tix K9]  
[Para | Defense Canine Tix]  
[PetAction 3 for Dogs]  
[PetAction 3 K9]  
[PetAction 3 Canine]  
[K9 PetAction 3]  
[Canine PetAction 3]  
[PetAction III for Dogs]  
[PetAction III K9]  
[PetAction III Canine]  
[K9 PetAction III]  
[Canine PetAction III]  
[PetAction K9 (Advanced)]  
[K9 PetAction (Advanced)]  
[PetAction ADV for Dogs]  
[PetAction ADV K9]  
[PetAction ADV Canine]  
[K9 PetAction ADV]  
[Canine PetAction ADV]  
[PetAction ADV 2 for Dogs]  
[K9 PetAction ADV]  
[Canine PetAction ADV]  
[PetAction ADV II for Dogs]  
[K9 PetAction ADV II]  
[Canine PetAction ADV II]  
[PetAction ADV 3 for Dogs]  
[K9 PetAction ADV 3]  
[Canine PetAction ADV 3]  
[PetAction ADV III for Dogs]  
[K9 PetAction ADV III]  
[Canine PetAction ADV III]  
[PetAction Complete for Dogs]  
[K9 PetAction Complete]  
[Canine PetAction Complete]  
[PetAction Max for Dogs]  
[K9 PetAction Max]  
[Canine PetAction Max]  
[PetAction Ticks for Dogs]  
[K9 PetAction Ticks]  
[Canine PetAction Ticks]  
[PetAction Tix for Dogs]  
[K9 PetAction Tix]  
[Canine PetAction Tix]  
[PetAction Total for Dogs]  
[K9 PetAction Total]  
[Canine PetAction Total]  
[PetLock 3 for Dogs]  
[K9 PetLock 3]  
[Canine PetLock 3]

[PetLock 3 K9]  
 [PetLock 3 Canine]  
 [PetLock K9]  
 [K9 PetLock]  
 [PetLock III for Dogs]  
 [K9 PetLock III]  
 [Canine PetLock III]  
 [PetLock III K9]  
 [PetLock III Canine]  
 [PetLock ADV for Dogs]  
 [K9 PetLock DV]  
 [Canine PetLock ADV]  
 [PetLock ADV K9]  
 [PetLock ADV Canine]  
 [PetLock ADV 2 for Dogs]  
 [K9 PetLock ADV 2]  
 [PetLock ADV 2 Canine]  
 [PetLock ADV II for Dogs]  
 [K9 PetLock ADV II]  
 [PetLock ADV II Canine]  
 [PetLock ADV 3 for Dogs]  
 [K9 PetLock ADV 3]  
 [PetLock ADV III for Dogs]  
 [K9 PetLock ADV III]  
 [PetLock ADV III Canine]  
 [PetLock Complete for Dogs]  
 [PetLock Max for Dogs]  
 [PetLock Ticks for Dogs]  
 [K9 PetLock Ticks]  
 [Canine PetLock Ticks]  
 [PetLock Tix for Dogs]  
 [PetLock tix K9]  
 [PetLock Tix Canine]  
 [PetLock Total for Dogs]  
 [K9 PetLock Total]  
 [Canine PetLock Total]  
 [PetLock Total K9]  
 [PetLock Total Canine]  
 [K9 Lock II]

Monthly topical treatment and prevention of ticks, fleas, mosquitos, biting flies, and lice.

[For use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing 5-10 lbs.]

[For use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing 11-20 lbs.]

[For use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing 21-55 lbs.]

[For use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing over 55 lbs.]

<b>Active Ingredients</b>	<b>% By Weight</b>
Imidacloprid .....	8.80%
Permethrin* .....	44.00%
Pyriproxyfen .....	0.44%
<b>Other Ingredients</b> .....	<b>46.76%</b>
<b>Total</b> .....	<b>100.00%</b>

\*cis/trans ratio: Max 55(±) cis and min 45%(±) trans

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

**PRECAUTIONARY STATEMENTS**

**HAZARDS TO HUMANS**

WARNING. Causes substantial but temporary eye injury. Do not get in eyes or on clothing. Harmful if swallowed. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**HAZARDS TO DOMESTIC ANIMALS**

**For external use on dogs only.** Do not use on animals other than dogs. Do not use on puppies under seven (7) weeks of age [or weighing less than 5 pounds]. Do not get this product in dog's eyes or mouth. As with any product, consult your veterinarian before using this product on debilitated, aged, pregnant or nursing animals. Individual sensitivities may occur after using ANY pesticide product for dogs. If signs persist, or become more severe, consult a veterinarian immediately. If your animal is on medication, consult your veterinarian before using this or any other product.

**ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to aquatic organisms, including fish and invertebrates. Do not add directly to water. Do not contaminate water when disposing of product or packaging.

**Side Effects:**


Monitor your dog after application. Side effects may include signs of skin irritation such as redness, scratching, or other signs of discomfort. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects (such as lethargy or agitation) occur, consult your veterinarian or call 1-xxx-xxx-xxxx.

<b>FIRST AID</b>	
<b>If In Eyes:</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If Swallowed:</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>
<b>HOT LINE NUMBER</b>	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For medical emergencies call 1-xxx-xxx-xxxx. For consumer questions, call 1-xxx-xxx-xxxx	
<b>NOTE TO PHYSICIAN</b>	
Treat the patient symptomatically.	

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not contaminate feed or food.

### HOW TO OPEN



The information contained in this drawing is the exclusive intellectual PROPERTY of KLOCKE GmbH. It may only be used for the purpose for which it is supplied and must not be reproduced, stored or disseminated to third parties by any means, mechanical, photographic, electronic, chemical, or otherwise, in whole or in part, without the express permission of KLOCKE GmbH.


NOTE TO REVIEWER: When this product is packaged as the 3-count or 6-count version, the above image will show a 3-count applicator strip instead of the 4-count as shown above.

Repeat steps 1 to 3 for each applicator.

### HOW TO APPLY

1. Prepare applicator as shown in "How to Open".
2. 5 – 10 lbs and 11-20 lbs. [Apply the entire contents of the applicator to one spot [as shown]:


NOTE TO REVIEWER: The following visual is optional.



Part the hair on the dog back between the shoulder blades until the skin is visible. Place the tip of the applicator on the skin and gently squeeze to apply all the contents to the skin.] [Part the dog's hair and

place the tip of the applicator [tube][pipette] behind the neck and between the shoulders. Squeeze the applicator [tube][pipette] thoroughly so that the entire contents are applied to one spot.] Carefully avoid allowing the product to run off the side of the dog. Keep solution out of your dog's eyes and do not allow your dog to ingest this product.]21 – 55 lbs. and Over 55 lbs. Apply the entire contents of the applicator evenly to three or four spots on the top of the back of the dog from the shoulder to the base of the tail [as shown]:

NOTE TO REVIEWER: The following visual is optional.



At each application site part the hair of the dog until the skin is visible. Place the tip of the applicator on the skin and gently squeeze to apply the solution on the skin. Do not apply an amount of solution at any one spot that could cause some of the solution to run off the side of the dog. Keep solution out of your dog's eyes and do not allow your dog to ingest this product..

3. Discard empty applicator and packaging as described in the Storage and Disposal section.
4. Under normal conditions the product remains effective for a month. In cases of severe flea infestation, retreatment may be necessary earlier than one month. Do not reapply T2.200 more often than once every seven (7) days. Once flea control is attained, return to a monthly application [dose] schedule.

## PRODUCT INFORMATION

The successive feeding activity of fleas on dogs may elicit a hypersensitivity skin disorder known as flea allergy dermatitis (FAD). Treatment of dogs with T2.200 rapidly kills fleas and may reduce the incidence of this condition.

T2.200 kills existing fleas on dogs within 12 hours. Reinfesting fleas are killed within 2 hours with protection against further flea infestation lasting at least four (4) weeks. Pre-existing pupae in the environment may continue to emerge for six (6) weeks or longer depending upon the climatic conditions.

T2.200 is waterproof and remains effective following a shampoo [treatment], swimming or after exposure to rain or sunlight.

Monthly treatments are required for optimal control and prevention of fleas and ticks.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in a cool, dry place. Protect from freezing. **Pesticide Disposal and Container Handling:** Non refillable container. **If empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

NOTE TO REVIEWER: A warranty statement of any kind is optional, but if a warranty statement is used, the following two alternative options are proposed:

#### [LIMITED WARRANTY AND LIMITATION OF DAMAGES

**IMPORTANT: READ BEFORE USE.** Read the entire Directions for Use, Conditions of Warranties and Limitations of Liability before using this product. If these terms and conditions are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Disclaimer of Warranties and Limitations of Liability.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness, injury, and other unintended consequences may result because of such factors as manner of use or application (including misuse), the presence of other materials, weather conditions, and other unknown factors, all of which are beyond the control of CAP IM Supply, Inc.. All such risks shall be assumed by the user or buyer.

**DISCLAIMER OF WARRANTIES:** To the extent consistent with applicable law, CAP IM Supply, Inc. makes no other warranties, express or implied, of merchantability or of fitness for a particular purpose or otherwise, that extend beyond statements on this label.

**LIMITATIONS OF LIABILITY:** To the extent consistent with applicable law, neither CAP IM Supply, Inc., the manufacturer, nor the Seller shall be liable for any indirect, special, incidental or consequential damages resulting from the use, handling, application, storage, or disposal of this product. To the extent consistent with applicable law, the exclusive remedy of the user or buyer for any and all losses, injuries or damages resulting from the use, handling, application, or storage of this product, whether in contract, warranty, tort, negligence, strict liability or otherwise, shall not exceed the purchase price paid.]

#### [WARRANTY

To the extent consistent with applicable law, CAP IM Supply, Inc. and/or seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use resulting from the handling of this product. Seller shall return the purchase price or at the election of the seller replace the product.]

NOTE TO REVIEWER: The following optional websites, currently under construction, will go live prior to use on any packaging being released for shipment:

[For more information visit [www.Advecta3.com](http://www.Advecta3.com)] [www.PetLockMax.com](http://www.PetLockMax.com)]

**DO NOT USE ON CATS – MAY BE FATAL.** Keep cats away from treated dogs for 24 hours. If applied to a cat or ingested by a cat, contact your veterinarian immediately.



For consumer questions call 1-8XX-XXX-XXXX  
For medical emergencies call 1-XXX-XXX-XXXX

EPA Reg No. 91384-XXX

CAP IM Supply, Inc.  
303 Perimeter Center North, Suite 300  
Atlanta, GA 30346

**(LABEL TEXT FOR INDIVIDUAL APPLICATOR)**

T2.200 for Dogs

[For external use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing 5-10 lbs.]

[For external use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing 11-20 lbs.]

[For external use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing 21-55 lbs.]

[For external use only on Dogs and Puppies 7 Weeks of Age and Older and Weighing over 55 lbs.]

8.80% imidacloprid

44.00% permethrin

0.44% pyriproxyfen

EPA Reg. No. 91384-XXX

**KEEP OUT OF REACH OF CHILDREN**

**WARNING**

**DO NOT USE ON CATS**



Read the Entire Label Before Use

CAP IM Supply, Inc

[0.014 fl oz (0.4 mL)]

[0.034 fl oz (1.0 mL)]

[0.084 fl oz (2.5 mL)]

[0.135 fl oz (4.0 mL)]

Lot No. 0000000

NOTE TO REVIEWER: [(Brackets and parentheses indicate alternate language)]

#### OPTIONAL MARKETING CLAIMS

- [For use only on dogs and puppies 7 weeks of age and older and greater than 5 lbs.]
- [T2.200 contains [imidacloprid], [permethrin] and [an/the] [insect growth regulator] [IGR] [pyriproxyfen]]
- [A single topical application [dose] remains effective for [a month][four](4 weeks)]
- [Convenient, easy to apply [monthly] topical solution]
- [Once a month topical flea treatment for only dogs 7 weeks of age or older and greater than 5 lbs.]  
[T2.200 is indicated for the prevention and treatment of fleas, ticks, biting flies, mosquitoes [that can transmit disease], and lice only on dogs [7 weeks of age and older and greater than 5 lbs.]]
- [Repels and kills ticks, fleas, and mosquitoes]
- [For the treatment and prevention of flea infestations]
- [One treatment prevents further flea infestations for [a month][four](4 weeks)]
- [Kills fleas on dogs within 12 hours]
- [Continues to prevent infestations for [a month][four](4 weeks)]
- [Kills fleas within 12 hours of application]
- [Controls existing flea infestations by rapidly killing adult fleas]
- [Prevents reinfestations by killing adult fleas before they lay eggs]
- [Effectively breaks the flea life cycle]
- [Flea adulticide, larvicide and ovcide]
- [Effectively targets all [life] stages of [fleas] and [ticks]]
- [3-way flea protection] [kills] [controls] [adults], [larvae][, and] [eggs]
- [Prevents development of fleas, [flea eggs], [pupae] and [larvae] for [a month][four](4 weeks)]
- [Prevents development of all flea [life] stages [for] [a month][four](4 weeks)]
- [Repels and kills [all] [life] [stages of fleas]]
- [Prevents flea eggs [and flea larvae] from developing into [biting] [adult] fleas]
- [Treatment with T2.200 rapidly kills fleas and may reduce the incidence of Flea Allergic Dermatitis (FAD)]
- [Repels and kills ticks [including Deer ticks (vector of Lyme disease)], [American dog ticks (vector of Rocky Mountain spotted fever)], [Brown dog ticks (vector of Ehrlichiosis)], and [Lone Star ticks (vector of Ehrlichiosis)] for up to four weeks]
- [Repels and kills mosquitoes [for up to four weeks]]
- [Repels and kills mosquitoes often before they have a chance to take a blood meal]
- [[Prevents blood-feeding by] [Kills and repels][killing and repelling] mosquitoes]
- [Repels and inhibits blood-feeding by biting flies]
- [Repels and prevents blood-feeding by biting flies]
- [Repels [annoying][bothersome][nuisance] biting flies]
- [Inhibits [annoying][bothersome][nuisance] biting flies]
- [[Prevents][inhibits] blood-feeding by biting flies]
- [Remains effective after bathing [and/or swimming]]
- [Remains effective following swimming [and/or shampooing]]
- [Kills [biting][chewing] lice]
- [For treatment and prevention of [biting][chewing] lice [infestations]]
- [Controls existing [biting][chewing] lice infestations]
- [5-way protection against fleas, ticks, biting flies, mosquitoes, and lice]
- [Treats, prevents and controls [biting][chewing] lice [infestations]]
- [Provides effective control of [biting][chewing] lice [infestations]]
- [Kills [biting][chewing] lice and prevents further infestations]
- [For treatment and prevention of infestations with [biting][chewing] lice]
- [Waterproof]
- [Remains effective after exposure to rain or sunlight]

- [Fragrance free]
- [Contains the same active ingredients imidacloprid, pyriproxyfen and permethrin found in [Bayer] K9 Advantix II].
- [Contains the [same] active ingredients [found] [used] in [Bayer] K9 Advantix II]
- [T2.200 for Dogs is not manufactured by or distributed by Bayer Health Care LLC]
- [K9 Advantix II is a registered trademark of Bayer Health Care LLC]
- [Contains imidacloprid, pyriproxyfen and permethrin, the same active ingredients used in Bayer K9 Advantix II]
- [Compare to Bayer K9 Advantix II; Contains the same active ingredients as Bayer K9 Advantix II]
- [T2.200 is not manufactured by or distributed by Bayer Health Care LLC. K9 Advantix II is a registered trademark of Bayer HealthCare LLC]
- [3 Pack [3 Applicators][3 Months' Supply][3 Doses][3 Pipettes]]
- [4 Pack [4 Applicators][4 Months' Supply][4 Doses][4 Pipettes]]
- [6 Pack [6 Applicators][6 Months' Supply][6 Doses][6 Pipettes]]
- [8 Pack [8 Applicators][8 Months' Supply][8 Doses][8 Pipettes]]
- [12 Pack [12 Applicators][12 Months' Supply][12 Doses][12 Pipettes]]
- [3 Applications [Doses][Pipettes]]
- [4 Applications [Doses][Pipettes]]
- [6 Applications [Doses][Pipettes]]
- [8 Applications [Doses][Pipettes]]
- [12 Applications [Doses][Pipettes]]
- [Buy [3,4,6,8,] doses, get [1,2,3,4] free]
- [Small Dog [5-10 lbs.]]
- [Medium Dog [11-20 lbs.]]
- [Large Dog [21-55 lbs.]]
- [Ex Large Dog [Over 55 lbs.]]
- [Illustration of flea life cycle] [halts life cycle of fleas]
- [Illustration of tick life cycle] [halts life cycle of ticks]
- [Illustration of louse life cycle] [halts life cycle of lice]
- [Illustration of chewing lice life cycle] [halts life cycle of chewing lice]
- [Illustration of adult fleas] [kills [and repels] adult fleas]
- [Illustration of flea eggs] [stops hatching of flea eggs[ in the environment]]
- [Illustration of flea larvae] [stops development of flea larvae[ in the environment]]
- [Illustration of chewing lice] [kills chewing lice]
- [Illustration of tick] [kills[ and repels] ticks]
- [Illustration of flea] [kills fleas]
- [Illustration of louse] [kills lice]
- [Illustration of mosquito] [kills[ and repels] mosquitos[and biting flies]]
- [Illustration of biting fly] [kills [and repels] biting flies]
- [5-way protection] 'Note to reviewer: To be associated with the 5 parasite illustrations.'
- [Picture or illustration of a dog or puppy of appropriate weight class]
- [Picture or illustration of the T2.200 logo]
- [Picture or illustration of the primary package, applicator tubes, pipettes]

(TEXT FOR REMINDER STICKERS)

NOTE TO REVIEWER: This entire section on reminder stickers is optional

[Optional marketing claims]

[Picture of Dog or Puppy 7 weeks or older]

[Picture of flea] [kills fleas]

[Picture of tick] [kills [and repels ]ticks]

[Picture of chewing lice] [kills lice]

[Picture of mosquitoes] [kills [and repels ]mosquitoes[ and biting flies]]

[Long-lasting]

[Does not wash off]

[For monthly control of fleas, ticks, [biting flies], [chewing lice], mosquitoes]

[Optional Bar Code]

**T2.200 for Dogs**

The first time you treat your dog, place the First (Application) Sticker on your calendar. Apply Stickers [2 and 3] [2, 3, 4] [2 through 6] [2 through 8] to the calendar [30 and 60 days] [monthly] [30, 60, and 90 days] [30, 60, 90, 120, and 150 days] [30, 60, 90, 120, 150, 180, and 210 days] [at the end of each 30 day period] after the first [application][dose] to remind you it's time to reapply T2.200 for Dogs.

First Application [Dose][Sticker]: [Apply] T2.200 for Dogs

Month 2 [Sticker]: [Apply] T2.200 for Dogs

Month 3 [Sticker]: [Apply] T2.200 for Dogs

[Month 4 [Sticker]: [Apply] T2.200 for Dogs]

[Month 5 [Sticker]: [Apply] T2.200 for Dogs]

[Month 6 [Sticker]: [Apply] T2.200 for Dogs]

[Month 7 [Sticker]: [Apply] T2.200 for Dogs]

[Month 8 [Sticker]: [Apply] T2.200 for Dogs]



Do Not Use on Cats

For Customer Service please call 1-8xx-xxx-xxxx.

CAP IM Supply, Inc.  
303 Perimeter Center North, Suite 300  
Atlanta, GA 30346

[Optional bar code]